



ELECTRICAL RESEARCH AND DEVELOPMENT ASSOCIATION

(Accredited by the National Accreditation Board for Testing and Calibration Laboratories, Govt. of India)

ERDA Road, Makarpura Industrial Estate, Vadodara-390 010, India.

EPABX : +91 (0265) 2642942, 2642964, 2642377, 3043128 / 29 / 30 / 31 / 33

Fax : +91 (0265) 2638382




E-mail : erda@erda.org

Web : http://www.erda.org



TEST REPORT

SHEET No. 1 of 18

NAME & ADDRESS OF CUSTOMER Raychem RPG (P) Ltd. 426/2B Chakan-Talegaon Road, Mahalunge Village, Taluka Khed, Pune - 410501 MH	REPORT NO.: RP-1718-033255	
	DATE : 14 Oct 2017	
	CUSTOMER REF NO.	DATE
	NIL	19 Aug 2017
	DATE OF SAMPLE RECEIPT	DATE OF TESTING
	17 Aug 2017	18 Sep 2017 to 12 Oct 2017
SAMPLE DESCRIPTION DISTRIBUTION TRANSFORMER Make: RAYCHEM RPG (P) LTD. Rating: 2500 kVA 33000 / 433 Volts 43.74 / 3333.53 Amp. Vector Group: Dyn11 Energy efficiency level: 3 Further details as per sheet No. 2.	SAMPLE IDENTIFICATION ERDA sample code number: ERDA-00213201 Manufacturer serial number: ADA1716036 Year of manufacture: 2017 Enclosed drawing numbers: 1) 31RD1517, R0 2) 31GA1823 R0 SHEET 1 OF 2 3) 31GA1823 R0 SHEET 2 OF 2	
TEST DETAILS As per sheet 3.	TEST SPECIFICATION As per sheet 3.	
TEST RESULTS: As per sheets from 4 to 16		
ENCLOSURE: Photographs of test sample - As per sheets from 17 to 18		
REMARKS: 1) The transformer conforms to the guaranteed requirement as per above mentioned test specification for above mentioned test nos. 2, 5, 6, 9, 10, 11, 12, 13, 14, 15, 17, 18. 2) Criteria limit has not been specified for test nos. 1, 3, 4, 7, 8, 16.		
 PREPARED BY	 CHECKED BY	 APPROVED BY (Kapil J. Sharma)
NOTE: 1. This report relates only to the particular sample received for testing in good condition at ERDA, Vadodara. 2. This report cannot be reproduced in part under any circumstances. 3. Publication of this report requires prior permission in writing from Director, ERDA. 4. Only the tests asked for by the customer have been carried out. 5. In case of any dispute, Vadodara will be the exclusive jurisdiction & shall be construed as where the cause has arisen.		
Caution: ERDA is not responsible for the authenticity of photocopied or reproduced test reports. ERDA provides support to consumers for verification of the authenticity of test reports issued by ERDA.		

TC 2359009

